


DIRECT FROM THE MANUFACTURER **HEAT TRANSFER VINYL**



FREE **DELIVERY*** ON ORDERS **MATERIAL** THAT **OUTLASTS** THE **GARMENT**

NEXT DAY DELIVERY ONLY ainland Only. T & C's apply.



Still the cheapest delivery rates in the UK

Dear customers,

Last year we made BIG changes to our delivery charges. Following feedback that our shipping rates were too high. After reviewing this further I am pleased to say that we still have the cheapest delivery rates in the UK.

At Target Transfers we are committed to ensuring the best service and the best quality product for our customers. That is why we have these changes to ensure we provide the best value shipping rates in the UK for Heat Transfer Vinyl, Print & Cut Media and Heat Press Equipment.

We offer....

- Free shipping on all orders over £100.00 excl VAT to the UK Mainland
 (Excludes Fusion heat presses)
- ✓ Orders under £100 now have a reduced next day delivery charge to the UK mainland, just £6.50 + VAT
- ✓ Guaranteed same day despatch on all orders placed before 5pm

(Stock items only)

These are the cheapest next day delivery rates for the UK mainland. We've also changed some of our other delivery charges, to see all of our delivery options visit the Target blog.

 $I \ would \ like \ to \ thank \ everyone \ for \ their \ feedback \ and \ for \ continuing \ to \ choose \ Target \ as \ your \ material \ and \ machines \ partner.$

Please find in this brochure a range of textile vinyls and print & cut media that will suit all of your transfer printing needs. Amongst this selection of materials, you will find a solution for decorating all types of fabrics and garments, including Cotton, Polycotton blends, Spandex, Polyester and even Nylon.

Kind regards,

Martin Borley

Managing Director, Target Transfers

TargetTransfers.com | 01376 326351

New Products

NEW Weeder

Page 27



An absolutely essential product. Let the LED light the way.

For use with any CAD-CUT® and Print and Cut material. Proven to be faster and more accurate than craft knives and tweezers.

SuperTEK Opaque 2.0

age 19



Perfect for sportswear

Decorate light or dark-coloured fabrics with this lightweight, stretchable heat transfer material.

With an incredibly soft hand and the ability to stick to even the toughest fabrics, like Lycra®/spandex and nylon, it's perfect for performance apparel and sportswear. Thanks to the innovative adhesive, STiX2™, SuperTEK™ Opaque applies to almost any material, and its low-temperature application helps prevent scorching on technical and synthetic fabrics.

SuperTEK™ Opaque 2.0 has now arrived, even lighter than before! Our new formula has reduced the weight to 50 microns, down from 100. While still maintaining the characteristics you have come to know and love.

SuperTEK Clear Matt 2.0 Page 21



Thin, Clear, Soft and Stretchable

Printable, thin and lightweight clear polyurethane film with patented Stix2 adhesive - sticks to anything. Has great stretch and recovery, with soft hand.

Single step application ideal for white or light coloured performance fabrics.

CAD-CUT Pages 2- 13 Print & Cut Media Pages 15 - 23

QUICK Reference Chart - Heat Transfer Vinyl



	SportsFilm™ Extra Thin, semi-glossy, perfectly suited for cutting detail. Soft hand,	FINISH	TEXTURE	MEDIA WIDTH & THICKNESS	APPLIES TO	LAYERING OPTIONS	BLADE TYPE	FUSING TEMP	FUSING PRESSURE	FUSING TIME TYPE OF PEEL	WASH TEMP	PRICE	1m 5m	10m	25m
& & LATE CORP.	suited for cutting detail. Soft hand, pressure sensitive, tacky backing.	Semi- glossy	Smooth	500mm x 25m rolls 80 microns	100% Cotton 100% Polyester* Poly/cotton blends (*Always test first on coated polyester)	Can be layered	Vinyl	160°c	Medium	5 SECOND FUSE HOT PEEL	60°c Do not tumble dry Ironed on reverse Do not bleach Do not dry clean	Standard Colours Fluorescent & Pastels SAVE up to 18% When buying a ro		£5.30 £5.85 e rate.	£4.70 £5.25
& LATE EE	PremiumPlus™ Thin, stretchable and elasticated. Truly matt, ideal for multi-colour designs. Slightly sticky carrier to aid detail.	Matt	Smooth	500mm x 25m rolls 100 microns	100% Cotton 100% Polyester* Poly/cotton blends Lycra@, Spandex (*Always test first on coated polyester)	Can be layered	Vinyl	150°c	Medium	8 secs Cold & Hot Peel Available	60°c Do not tumble dry Ironed on reverse Do not bleach Do not dry clean	Standard Colours Fluorescent SAVE up to 17% When buying a ro		£5.55 £6.55	£4.95 £5.95
& AATE	PremiumPlus™ Sublistop Blocks subli-dye, thin, truly matt and opaque, cuts and weeds easily. Ideal for multi-colour designs, slightly sticky for medium detail.	Matt	Smooth	500mm x 25m rolls 150 microns	100% Cotton 100% Polyester* Poly/cotton blends (*Always test first on coated polyester)	Can be layered	Vinyl	140°c	Medium	8 secs Hot-Warm Peel	40°c Do not tumble dry Ironed on reverse Do not bleach Do not dry clean	Standard Colours SAVE up to 16% When buying a ro	£6.45 £6.25		£5.4
& ATE	PremiumPlus™ Nylon Adheres to almost all nylons, slightly tacky carrier allows for medium detail cutting and stacking without sticking.	Matt	Smooth	500mm x 25m rolls 95 microns	Most Nylons* (*Always test first on coated polyester and Nylon)	Can be layered	Vinyl	150°c	Medium	8 secs Cold Peel	30°c Do not tumble dry Do not iron directly Do not bleach Do not dry clean	Standard & Fluoresc Colours SAVE up to 16% When buying a ro	£6.45 £6.25		£5.45
	High Build 3D This incredible 1000 microns, 1mm thick material gives a high fashion look and feel. Available in Gloss and Matt finishes.	Matt or Gloss	Smooth	500mm x 5m rolls 1000 microns	100% Cotton 100% Polyester* Poly/cotton blends ('Always test first on coated polyester)	Cannot be layered	Thick Vinyl	155°c	Medium	20 secs Cold Peel	Up to 60°c max Wash inside out Do not tumble dry Lightly iron directly Do not bleach Do not dry clean	Standard Colours Due to the THICKI maximum length of			- I e
HOOPER C-3	Basic Film™ Perfectly suited for large designs. Smooth and matt finish providing optimal opacity.	Matt	Smooth	500mm x 25m rolls 80 microns	100% Cotton 100% Polyester* Poly/cotton blends ("Always test first on coated polyester)	Can be layered	Vinyl	160°c	Medium	10-15 secs Cold Peel	60°c Do not tumble dry Do not iron directly Do not bleach Do not dry clean	Standard Colours SAVE up to 22% When buying a ro	£4.50 £4.30		£3.5
	Effect TM / Hologram* Specially developed with the fashion industry in mind, this slightly thicker material with a sticky carrier has unique "holographic-sparkle" effect.	Shiny	Smooth	500mm x 25m rolls 105 microns	100% Cotton 100% Polyester* Poly/cotton blends (*Always test first on coated polyester)	Cannot be layered	Vinyl	150°c	Medium	10 secs Cold Peel	40°c Do not tumble dry Do not iron directly Do not bleach Do not dry clean	Standard Colours SAVE up to 18% varte.	£5.50 £5.30 when buying a		
	Glitter™/Flake* Adds glitter and sparkle to your design and has a unique textured finish which will enhance any design. Easy to cut weed and apply, ideal for large detail.	Granulated glitter particles	Textured	500mm x 25m rolls 360 microns	100% Cotton 100% Polyester* Poly/cotton blends (*Always test first on coated polyester)	Cannot be layered	Vinyl	150°c	Medium	10 secs Hot Peel	40°c Do not tumble dry Do not iron directly Do not bleach Do not dry clean	Standard Colours Fluorescent/Pastels SAVE up to 14% v rate.		5 £7.95	£7.4
	EconoReflex [™] Hi-Viz Reflective, manufactured with glass micro ball technology. EN471 European safety standard compliant.	Slightly shiny	Slight texture	500mm x 25m rolls	100% Cotton,100% Polyester* Poly/cotton blends Nylons, High Visibility Jackets & Bibs ('Always test first on coated polyester)	Cannot be layered	Vinyl	150°c	Low	2-3 secs Cold Peel	50°c Do not tumble dry Do not iron directly Do not bleach Do not dry clean	Standard Colour SAVE up to 8% When buying a ro	£12.00 £11.8		£11.00
	Flock Incredibly soft, velvety flock that ensures perfect opacity due to the high and dense flock pile. Sticky carrier enables detail cutting.	Matt textured fibre	Velvet pile	500mm x 25m rolls 380 microns	100% Cotton 100% Polyester* Poly/cotton blends (Always test first on coated polyester)	Cannot be layered	Flock	160°c	Medium	10-15 secs Cold Peel	Up to 40°c Wash inside out Do not tumble dry Lightly iron directly Do not bleach Do not dry clean	Standard Colours SAVE up to 12% v rate.	£8.45 £8.2 vhen buying a		
3	Chameleon / Glaze* Soft translucent metallic finish that differs depending on the colour of fabric.	Shiny Metallic	Smooth	500mm x 25m rolls	100% Cotton Poly/cotton blends	Cannot be layered	Vinyl	140°c	Medium	8-10 secs Cold Peel	Up to 40°c Wash inside out Tumble dry low Do not iron directly Do not bleach	Standard Colours SAVE up to 13% When buying a ro	£7.65 £7.4		£6.6

TargetTransfers.com | 01376 326351

SportsFilm™ Extra



IDEAL FOR DETAIL

What is SportsFilm and why should you be using it?

Stahls' Sportsfilm is the best value material for decorating your everyday textiles and garments. It also works great on light-weight active garments. Due to its durability, you can create detailed designs that are easy to weed.

Big improvements have recently been made to the application time for the Sportsfilm range. You now only need to fuse your designs with a heat press for 5 seconds. And you can peel back the design while still hot.

Sportsfilm is available in 35 different colours, with many variations on each shade. It is available to purchase by the metre or the roll. Making it perfect for users of all capacities.

Save 18% and get free shipping

The most effective way to purchase Sportsfilm is by the roll. When buying a 25m roll you will save 18% per metre. Over a 25m roll, this is almost 5 free extra metres. All rolls ordered of Sportsfilm now get free next day delivery, the best value rates in the UK.

Ordering less than a roll? You can still get free shipping on all orders over £100.00, Next day delivery for just £6.50 and guaranteed same day despatch on in-stock items. Full details here.

Size 500mm wide rolls	1m	5m	10m	25m
Standard Colours Cost per metre	£5.70	£5.50	£5.30	£4.70
Fluorescent & Pastels per metre	£6.25	£6.05	£5.85	£5.25

SportsFilm™ Extra Colours





Print & Cut

Sportsfilm is also available in our Print & Cut range. Matt, printable digital media perfectly suited for printing smaller details and can be cut after a very short drying time. Suitable for most available textiles and offers great stretchability.

Also available with free next day delivery.

Thin and durable, semi-glossy film material, perfectly suited for cutting smaller-medium detail. Easy to weed, enhancing profitability. Soft hand pressure sensitive, medium tacky backing.

Available by the metre or in full rolls.

TargetTransfers.com | 01376 326351 TargetTransfers.com | 01376 326351

Premium Plus™

Thin, stretchable & elasticated! 500mm wide x 25m rolls.



ELASTICATED

The most advanced Heat Transfer Vinyl material on the market

If you are creating garments with stretchable material or decorating performance wear, Stahls' Premium Plus is the Heat Transfer Vinyl you need. The vinyl has high stretch and rebound so that it can move and adapt to the garment. You can decorate with fine detail and still get a soft matt finish. This vinyl can be used on the following Cotton, Poly/ Cotton blends, Polyester, Lycra and Spandex.

Premium Plus is available in 35 different colours, with many variations on each shade. It is available to purchase by the metre or the roll. Making it perfect for users of all capacities.

Available exclusively from Target Transfers.

Save up to 17% and get free shipping

The most effective way to purchase Premium Plus range is by the roll. When buying a 25m roll you will save up to 17% per metre. Over a 25m roll, this is almost 4 free extra metres.

All rolls ordered of Premium Plus now get free next day delivery, the best value rates in the UK.

150°c

Medium

Warm-

Cold

CAD-CUT® TEXTILE VINYL

Recommended Fabrics

100% cotton, 100% polyester Poly/cotton blends Lycra® and Spandex (*Always test first on coated polyeste

Application Instruction

Temp: 150°c

8 seconds

Pressure: **Medium** (#4-6 on Hotronix®) **Cold and Hot Peel Available**

Multi-Colour Designs

Heat apply background for 2 seconds peel warm. Apply foreground for 8 seconds peel warm.

Accessories Required

Weeder Cover Sheet

Standard Colours

White	Cream	Lemon	Yellow	Sunflower Yellow
Light Orange	Orange	Red	Signal Red	Burgundy
Pink	Fuchsia	Purple	Light Blue	Royal Blue
Navy Blue	Turquoise	Brown	Light Green	Green
Dark Green	Olive	Grey	Dark Grey	Black
Silver	Gold			
Fluorescent Col	ours			

Fluorescent Pink	Fluorescent Yellow	Fluorescent Blue	Fluorescent Green	Fluorescent Orange

Size 500mm wide rolls	1m	5m	10m	25m	
Standard Colours Cost per metre	£5.95	£5.75	£5.55	£4.95	
Fluorescent per metre	£6.95	£6.75	£6.55	£5.95	

PremiumPlus™ Sublistop

Subli dye blocking material 500mm wide x 25m rolls.



BLOCKS SUBLI-DYE

Designed specifically for application to polyester. Premium Plus™ Sublistop™ is the material to use to completely block out sublimated garments and the risk of sublimation dye damaging the print. The 11 colours match all those in the Premium Plus™ range of CAD-CUT® materials. Available by the metre or in full rolls.

140°c

Recommended Fabrics

100% polyester Poly/cotton blends

Application Instruction

Temp: 140°c Time: 8 seconds

Pressure: **Medium** (#4-6 on Hotronix®)

Hot-warm

Medium

Multi-Colour Designs

Apply background for 3-5 seconds, peel carrier warm. Repeat for additional colours. Finish with final application of 18-20 seconds. Hot - warm.

Hot -Cover Sheet warm **Heat Tape**

Accessories Required Weeder



Size 500mm wide rolls	1m	5m	10m	25m
Standard Colours Cost per metre	£6.45	£6.25	£6.05	£5.45

Premium PlusTM Nylon

Strong adhesion to most Nylons! 500mm wide x 25m rolls.



APPLIES TO NYLON

This material can be applied to most Nylon and Nylon blends. Low application temperature, and short dwell time, allows it to be used on heat sensitive products. Available in 16 colours which all match those in the Premium Plus range of CAD-CUT® materials. Available by the metre or in full rolls. CUT® TEXTILE VINYI

150°c

Recommended Fabrics

Nylon (*Always test first on coated Nylons)

Application Instruction

Multi-Colour Designs

150°c

Temp: Time:

8 seconds Pressure: **Medium** (#4-6 on Hotronix®) Cold

Peel: 8 sec



Apply background for 3-5 seconds, peel carrier cool. Repeat for additional colours. Finish with final application of 18-20 seconds.

Cold

Accessories Required

Weeder Cover Sheet Heat Tape



Standard Colours


White	Lemon	Yellow	Orange	Fuchsia
Red	Burgundy	Light Blue	Royal Blue	Navy Blue
Green	Black	Grey	Silver	Gold

Fluorescent Colours

Size 500mm wide rolls	1m	5m	10m	25m	
Cost per metre	£6.45	£6.25	£6.05	£5.45	

GlitterTM / Glitter Flake^{*}

Add some bling with Glitter! 500mm wide x 25m rolls.



LARGER GLITTER PARTICLE

Add some extra glitter and sparkle to your design. With a textured glitter finish, Glitter Flake creates eye-catching designs great for everything from cheer and fan wear to fashionable T-shirts.

With many exciting colours to choose from and a unique texture, this material is sure to enhance any fashion wear. Easy to cut and weed medium to large detail. Available by the

ON ORDERS

OVER £100

metre or in full rolls.



TEXTILE VINYL

Recommended Fabrics

100% cotton 100% polyester* Poly/cotton blends

Application Instruction

150°c

10 seconds Pressure: Medium (#4-6 on Hotronix®)

Temp:

Time:

Cold

Multi-Colour Designs CAD-CUT® Glitter is not recommended for multi-layer

Hot

Accessories Required

Weeder Flock Blade Cover Sheet

applications.

Size 500mm wide rolls	1m	5m	10m	25m	
Standard Colours Cost per metre	£7.25	£6.95	£6.75	£6.25	
Fluorescent Colours Cost per metre	£8.45	£8.15	£7.95	£7.45	



GlitterTM / Glitter Flake* Colours





Basic FilmTM

Created for speed of use on larger designs! 500mm wide x 25m rolls.



IDEAL FOR LARGER IMAGES

Basic Film Heat Transfer Vinyl is a great economical, durable material for sports names/numbers, leisure, promotional and workwear garments. Ideal for large graphics where speed of use is paramount. Available by the metre or in full rolls.



CUT®

TEXTILE VINYL

Recommended Fabrics

100% cotton 100% polyester* Poly/cotton blends

Application Instruction

160°c

Cold

10-15 seconds

Pressure: **Medium** (#4-6 on Hotronix®)



10-15 sec

Medium



Cold

Multi-Colour Designs

Temp:

Time:

Peel:

Apply background for 3-5 seconds, peel carrier cool. Repeat for additional colours. Finish with final application of 10-15 seconds. Peel cold.

Accessories Required

Weeder Cover Sheet Heat Tape

Standard Colours

Black	White	Navy blue	Royal blue	Yellow
Red	Gold	Silver		

Size 500mm wide rolls	1m	5m	10m	25m	
Standard Colours Cost per me	tre £4.50	£4.30	£4.10	£3.50	

EffectTM / Hologram^{*}

Holographic Sparkle! 500mm wide x 25m rolls.



ADDS SPARKLE

Specially developed with the fashion industry in mind, this slightly thicker material with a sticky carrier has unique "holographic-sparkle" effect and comes in a vast array of colours. Available by the metre or in full rolls.

150°c

Recommended Fabrics

100% cotton 100% polyester* Poly/cotton blends (*Always test first on coated polyester)



Application Instruction

150°c Temp: Time: 10 seconds



Pressure: **Medium** (#4-6 on Hotronix®) Cold

Medium

Multi-Colour Designs CAD-CUT® Effect is not recommended for multi-layer applications.



Accessories Required

Cover Sheet


Colours





















Size 500mm wide rolls	1m	5m	10m	25m	
Standard Colours Cost per metre	£5.50	£5.30	£5.10	£4.50	

Adhesive

Use in conjunction with Fashion Foils for stunning results



Easy, inexpensive way to create high-end fashion wear. No need to screen print a base layer for foil - just cut, apply, and foil Supplied on a carrier for use with your vinyl cutter. Handles fine detail for intricate foil embellishments. Use with our foil range that contains 11 dazzling colours. Available in Rolls of 30cm x 9.1m





Recommended Fabrics

100% cotton 100% polyester* Poly/cotton blends (*Always test first on coated polyester)



Application Instruction 149°c

Temp: Time: 3-5 seconds Pressure: Low pressure (#2-3 on Hotronix®)



Multi-Colour Designs Medium

Hot

CAD-CUT® Effect is not recommended for multi-layer applications.



Accessories Required

Weeder **Cover Sheet** Heat Tape

Download the January Issue of Images Magazine for a step by step guide on using Fashion Foil.



MEDIA	SIZE	CODE	PRICE
Adhesive Rolls	300mm wide x 9.1m	579002	£34.99

Fashion Foils

Metallic finish for a fashionable effect on any garment or promotional piece. For long-lasting foil applications, use with CAD-CUT® Adhesive.



Recommended Fabrics

100% cotton 100% polyester* Poly/cotton blends (*Always test first on coated polyester)



Application Instruction

Temp: 149°c Time: 8-9 seconds Pressure: Firm pressure Cold



Multi-Colour Designs Interlay colour foil



Accessories	Required
Cayor Chaot	

Cover Sheet Heat Tape



Size 300mm wide rolls	5m	30m
Silver, Gold, Bronze, Red, Pink, Blue, Green, Black	£9.99	£39.99
Petrol, Rainbow	£14.99	£49.99
Holographic	£17.99	£56.99

EconoReflexTM



HI-VIZ FOR SAFETY - EN471

EconoReflex Hi-Viz Reflective Heat Transfer Vinyl is a high reflective product, manufactured through glass micro balls technology.

It is EN471 European safety standard compliant.

Recommended for applications onto work wear and onto applications which require more than 100 lumen luminescence.

1st App - 2-3 secs

2nd App - 10 secs

Pressure: Low (#2-3 on Hotronix®)

Cold Peel

160°c

CUT®

TEXTILE VINYL

Recommended Fabrics

Nylons, Polyamides, Poly/cotton blends, High Visibility Jackets and Bibs (*Always test first on coated products)

Application Instruction 160°c

10-15 sec

Peel carrier: **Cold**

Temp:





Cold

Multi-Colour Designs

CAD-CUT® EconoReflex is not recommended for multi-layered applications.

Accessories Required

Weeder Flock Blade Cover Sheet Heat Tape

Colours

12

Size 500mm wide rolls 25m Cost per metre £12.00 £11.80 £11.60 £11.00

ChameleonTM/ Glaze



CREATIVE FASHION DECORATION

The translucent metallic finish appears to change colour depending on the fabric colour it's applied to, giving you lots of creative options to create unique designs. Available by the metre or in full rolls.

Recommended Fabrics

100% cotton Poly/cotton blends

140°c

Application Instruction

140°c Temp: 8-10 seconds

Pressure: **Medium** (#4-6 on Hotronix®) 8-10 sec **Cold Peel**

Multi-Colour Designs

CAD-CUT® Chameleon is not recommended for multi-layered applications.



Cold

Accessories Required

Weeder Cover Sheet Heat Tape

Size 500mm wide roll Cost per metre £7.65 £7.45 £7.25 £6.65

FlockTM

Luxurious look and feel! 500mm wide x 5 & 25m rolls



DEEP PILE FLOCK

Incredibly soft, velvety flock that ensures perfect opacity due to the high and dense flock pile. Delivered on a sticky carrier allowing finer details to be cut and weeded easily. Choose from 16 standard colours. Available by the metre or in full rolls.



Recommended Fabrics

100% cotton 100% polyester* Poly/cotton blends



Application Instruction

160°c Temp: 10-15 seconds Time: Pressure: **Medium** (#4-6 on Hotronix®)

Cold Peel



Multi-Colour Designs

CAD-CUT® Flock is not recommended for multilayered applications.



Accessories Required

Weeder Flock Blade Cover Sheet Heat Tape



1m	5m	10m	25m
£8.45	£8.25	£8.05	£7.45
		-	

TargetTransfers.com | 01376 326351

FREE

DELIVERY

ON ORDERS

OVER £100

High Build 3D™

1mm (1000 microns) thick, 500mm x 5m rolls



THICK RUBBER FASHION LOOK

Incredible 1000 microns, 1mm thick PU material gives a high fashion look and feel. Ideal for bags, caps and jackets. Available in Gloss and Matt finishes. Available by the metre or in rolls of 5m.

CAD-CUT® TEXTILE VINYI



Recommended Fabrics

100% polyester* Poly/cotton blends

100% cotton

(*Always test first on coated polyester)

Application Instruction 20 sec Temp: 155°C

20 seconds Time: Pressure: **Medium** (#4-6 on Hotronix®)

Peel: Cold

Medium **Multi-Colour Designs** CAD-CUT® High Build 3D is not recommended for multi-layered applications.

Cold

Accessories Required Thick vinyl blade. See below Weeder

Cover Sheet

Aftercare

Allow 24 hours before first wash.

Cutting Guide

Always use a suitable blade for your machine. Roland MSK750R, Summa HSK750R, GCC MSK750R, Graphtec GSK15R.

Standard Colours 500mm wide

Gloss Black	Matt Black	Matt Green	Matt Royal Blue	Matt Navy Blue
Gloss White	Matt White	Gloss Red	Matt Red	Matt Yellow

£8.75 tandard Colours Cost per metre £8.95





STAHLS'

Get 80% more productive when weeding

Dear customers.

Weeding large detailed designs with Heat Transfer Vinyl can be an arduous task, especially if there are multiple copies of the design. Well, the Stahls' group has been listening, because we share your frustrations.

That's why the EZ weeding table has been developed. Heat transfer materials release from their carriers when heated, so this patented table heats materials and keeps them at a consistent temperature to promote removal from the carrier. Meaning easier weeding with less material breakage, resulting in big time savings.

Key points:

- 50cm x 91cm (20" x 36") weeding area
- Three temperature settings 110° for finely detailed designs up to 130° for maximum productivity on larger jobs
- Top clamp holds materials in place while weeding
- Fits most production tables and counter tops
- Rounded edges for operator comfort
- Rests flat or at one of four incline settings
- Tool holder keeps your EZ Weeder™ handy
- Built-in storage compartment
- Compatible with standard 110v outlet

Actual weight: 12kg (27 lbs) Shipping weight: 13kg (28 lbs)



To see how we can help you, get in touch today!

Kind regards,

Martin Borley Managing Director, Target Transfers

Item		Size	Code	Price
STAH	LS' EZ Weeding Table	Each	163072	£520.00

TargetTransfers.com | 01376 326351

Print & Cut Media

Why Print & Cut Media?

A comprehensive selection of media materials for all users. In this section, you will find all the Printable Products you could need, in both short and wide formats.

Our range of products will heat apply to both light and dark fabrics and garments and will accommodate all of your transfer printing needs. These media materials will run through a variety of machines, and our Print and Cut materials are suited to many of the leading printers, including the Roland Versacamm, Mimaki JV3, and a selection of Mutoh, Uniform Seiko and HP Printers.

The Inkjet Medias are best purchased by the roll and will provide you with a solution to your transfer printing needs.

Quality

Printed transfers last just as long as direct-printed garments and often provide a more attractive finish that feels part of the garment.

Press on demand

If you are unsure how many of a particular garment you will need to make then screen printed transfers take the risk out. You only need to provide the size/ wash care label to the garment as and when you need it. If you do not use the transfer on your current range, they will be ready for the next one.

PRINT 8 CUT

Same day despatch

Order from Target Transfers and you get same day despatch on in-stock items. With the most competitive delivery rates in the UK.



TargetTransfers.com | 01376 326351

QUICK Reference Chart - Print & Cut



	CREDENTIALS	FINISH	APPLIES TO	MEDIA THICKNESS	FUSING TEMP	FUSING PRESSURE		FUSING TIME Type of Peel	WASH TEMP		PRICE	CODE
SuperTEK™ Opaque 2.0 High-stretch, printable polyurethane film. Patented STiX2 adhesive - sticks to anything. Ultra-soft hand and lightweight feel. Fast, flexible heat application. 4 way stretch and rebound.	-COMPLIANT- OEKO-TEX® « CPSIA « RSL «	Smooth	Featuring STAHLS' PATENTED STIX2 Adhesive Polyester, Lycra, Spandex, Nylon and most other fabrics.	Microns 50	150°C	Medium	X	Fuse for 5 secs & peel mask then cover & apply for an additional 5 secs	40°C Allow 24 hours from application before first wash.	500mm x 25m Per Roll	£140.63 (£5.62 per metre)	163366
SuperTEK™ Sublistop 2.0 First sub-block with four-way stretch. Patented ONYX STiX2 charcoal-based adhesive. Fast, low-temp application to prevent heat press marks. 4 way stretch and rebound.	-COMPLIANT- OEKO-TEX® (CPSIA (RSL (Soft	Featuring STAHLS' PATENTED STIX2 Adhesive Polyester, Lycra, Spandex, Nylon and most other fabrics.	Microns 105	150°C	Medium	X	Fuse for 5 secs & peel mask then cover & apply for an additional 5 secs	40°C Allow 24 hours from application before first wash.	500mm x 25m Per Roll	£195.00 (£7.80 per metre)	163362
SuperTEK TM Clear MATT 2.0 This matt look high-stretch, printable polyurethane film. Patented STiX2 adhesive - sticks to anything. 4 way stretch and rebound.	-COMPLIANT- OEKO-TEX® 4 CPSIA 4 RSL 4	Gloss	Featuring STAHLS' PATENTED STIX2 Adhesive Polyester, Lycra, Spandex, Nylon and most other fabrics.	Microns Gloss 50 Matt 37	150°C	Medium	X	Fuse for 5 secs & peel mask then cover & apply for an additional 5 secs	40°C Allow 24 hours from application before first wash.	500mm x 25m Per Roll	£140.63 (£5.62 per metre)	163360
FoilTEK TM SILVER Achieve stunning digital prints in foil. Layer with other materials for eye-catching designs. STiX2 applies to most fabrics & materials. 4 way stretch and rebound.	-COMPLIANT- OEKO-TEX® « CPSIA « RSL «	Soft Metallic	Featuring STAHLS' PATENTED STIX2 Adhesive Polyester, Lycra, Spandex, Nylon and most other fabrics.	Microns \$\frac{\psi}{55}\$	150°C	Medium	X	Fuse for 5 secs & peel mask then cover & apply for an additional 5 secs	40°C Allow 24 hours from application before first wash.	500mm x 22.8m Per Roll	£189.75 (£8.32 per metre)	162113
SportsFilm [™] /Express Print* Virtually no dry time required for fast, efficient production. SportsFilm cuts and weeds easily, is thin and lightweight, and has a soft, matt, pliable finish.	PVC FREE (Matt	Cotton, Polyester, Lycra®, Spandex.	Microns ** 85 **	160°C	Medium	X	10 secs peel mask when warm.	60°C Allow 24 hours from application before first wash.	500mm x 25m 750mm x 25m 1000mm x 25m 1500mm x 25m	£124.00 (£4.96 per metre) £186.00 (£7.44 per metre) £248.00 (£9.92 per metre) £372.00 (£14.88 per metre)	110258 125192 110255 125191
Sublistop™ Matt, white film offers perfect opacity and colour reproduction while providing a solid barrier when heat applied onto sublimated polyester textiles.	PVC FREE 4	Matt	100% Polyester, Cotton, Polyester Blends.	Microns	150°C	Medium	<u></u>	10 secs peel mask when cold.	40°C Allow 24 hours from application before first wash.	500mm x 25m Per Roll	£150.00 (£6.00 per metre)	110843
Colour Print Classic™ PVC material for use on solvent and eco solvent print and cut machines.		Semi gloss	Cotton, Polyester.	Microns 170	150°C	Light to Medium	X	10-15 secs peel mask when cold.	40°C Allow 24 hours from application before first wash.	500mm x 25m 750mm x 25m 1000mm x 25m	£125.00 (£5.00 per metre) £187.50 (£7.50 per metre) £250.00 (£10.00 per metre)	568020 568021 568022

[¢] Alternative STAHLS' brand names in the market plac

TargetTransfers.com | 01376 326351

1500mm x 25m

Matt, printable digital media perfectly suited for printing smaller details and can be cut after a very short drying time, greatly enhancing profitability. Suitable for most textiles available in today's industry. Colours stay vibrant after laundering. For use with solvent and eco solvent print and cut systems.

160°c

PRINT &

CUT MEDIA





Medium



Warm

85

Microns

Recommended Fabrics 100% cotton

100% polvester Poly/cotton blends Lvcra®

Spandex Woven nylon* (*Always test)

Application Instructions Temp: **160°c** Time: 10 seconds

Pressure: Medium (#4-6 on Hotronix®)

Warm Peel:

Accessories Required CAD-COLOUR® Super Mask

Craft Paper or Reusable Cover Sheet EZ Weeder®

Care Instructions

For best results turn the garment inside out Machine wash up to 60°c using mild detergent Tumble dry at low temperatures

Do not use bleach

Do not iron directly on transfer Do not dry clean.

Base Colour of Media

White

MEDIA CAD-COLOUR®	SIZE	CODE	PRICE
CAD-COLOUR® SportsFilm	500mm wide x 25m	110258	£124.00
CAD-COLOUR® SportsFilm	750mm wide x 25m	125192	£186.00
CAD-COLOUR® SportsFilm	1000mm wide x 25m	110255	£248.00
CAD-COLOUR® SportsFilm	1500mm wide x 25m	125191	£372.00
Super Mask/Magic Mask Plus*	500mm wide x 50m	110216	£55.00
Super Mask/Magic Mask Plus*	1000mm wide x 50m	110220	£110.00

AVAILABLE IN FOUR **WIDTHS** 1000mm x 25m FREE **DELIVERY** ON ORDERS OVER £100 750mm x 25m 500mm x 25m

SuperTEK® Opaque 2.0

Applies to any fabric 500mm wide x 25m rolls.



4 WAY STRETCH & REBOUND

SuperTEK™ Opaque 2.0 has now arrived, even lighter than before! Our new formula has reduced the weight to 50 microns, down from 100.

Do more than you ever thought possible with CAD-COLOUR® SuperTEK Opaque™. This printable heat material allows you to achieve stunning full colour applications on a wide range of light or dark-coloured fabrics. Stahls' patented STiX2 adhesive makes it possible to apply SuperTEK Opaque to any technical fabric including polyester, Lycra®/Spandex, and nylon - we've got you covered.

150°c

Recommended Fabrics

Lycra® Spandex Nylon* (*Always test) 100% cotton 100% polyester Poly/cotton blends



Application Instructions

Temp: 150°c

Time 1st: 5 seconds then peel mask and re-fuse Time 2nd: 5 seconds with cover sheet in place Pressure: Medium (#4-6 on Hotronix®)





Accessories Required CAD-COLOUR® Super Mask Craft Paper or Reusable Cover Sheet EZ Weeder®



Microns

Care Instructions

For best results turn the garment inside out Machine wash up to 40°c using mild detergent Tumble dry at low temperatures

Do not use bleach Do not dry clean Iron on reverse.



Base Colour of Media

White

MEDIA CAD-COLOUR®	SIZE	CODE	PRICE
SuperTEK™ Opaque 2.0	500mm wide x 25m	163366	£140.63
Super Mask/Magic Mask Plus*	500mm wide x 50m	110216	£55.00

SuperTEK® Sublistop 2.0

Featuring ONYX STiX2 technology 500mm wide x 25m rolls.



FIRST SUB BLOCK WITH 4 WAY STRETCH

Decorators have been asking for a printable heat transfer material that stretches, feels soft and prevents dye migration. Stahls' CAD-COLOUR® SuperTEK Sublistop™ is the answer they've been waiting for. Manufactured with the world's first charcoal-based adhesive on the market today, ONYX STiX2 adhesive inhibits polyester based dye migration while providing ultimate stretch and recovery of your designs and logos. This technologically advanced adhesive makes it possible to apply SuperTEK Sublistop to any technical fabric including Lycra®/Spandex, polyester and nylon

Recommended Fabrics

Nylon* (*Always test)

Lycra®

Peel:

Spandex

100% cotton


100% polyester

Poly/cotton blends

Application Instructions







Medium



Warm



Warm

Accessories Required

CAD-COLOUR® Super Mask



For best results turn the garment inside out Machine wash up to 40°c using mild detergent Tumble dry at low temperatures

Care Instructions

Do not use bleach Do not dry clean Iron on reverse.



PRINT & CUT MEDIA

Base Colour of Media

MEDIA CAD-COLOUR®	SIZE	CODE	PRICE
SuperTEK™ Sublistop 2.0	500mm wide x 25m	163362	£195.00
Super Mask/Magic Mask Plus*	500mm wide x 50m	110216	£55.00



Lvcra®

Spandex

100% cotton

100% polyester

Poly/cotton blends



PRINT & CUT MEDIA



Medium









Printable, thin and lightweight clear polyurethane film with patented Stix2 adhesive - sticks to anything. Has great stretch and recovery, with soft feel. Single step application ideal for white or light coloured performance fabrics. Fast, flexible heat application eliminates heat press marks.



Application Instructions

Recommended Fabrics

Nylon* (*Always test)

Temp: **150°c**

Time 1st: 5 seconds then peel backing and re-fuse Time 2nd: 5 seconds with cover sheet in place

Pressure: Medium (#4-6 on Hotronix®)

Cold Peel:

Accessories Required

Craft Paper or Reusable Cover Sheet EZ Weeder®

Care Instructions

For best results turn the garment inside out Machine wash up to 40°c Tumble dry at low temperatures Do not use bleach

Iron on reverse Do not dry clean.



Base Colour of Media

Clear

MEDIA CAD-COLOUR®	SIZE	CODE	PRICE
SuperTEK™ Clear™ MATT 2.0	500mm wide x 25m	163360	£140.63

FoilTEK®

Metallic SIlver Shimmer 500mm wide x 22.8m rolls.



METALLICS GUARANTEED TO MOVE YOU

Stahls' CAD-COLOUR® FoilTEK™ allows you to achieve headturning digital designs on a shimmering foil surface. Its stunning range of shift colours and metallic finishes brings a whole new perspective to your sport and logo applications. Our patented STiX2 adhesive allows you to apply CAD-COLOUR® FoilTEK™ to any technical fabric including polyester, Lycra®/Spandex and nylon.

Recommended Fabrics

Nylon* (*Always test)

Lycra®

Spandex

100% cotton

100% polyester

Temp: 150°c

Poly/cotton blends

Application Instructions

Warm

150°c



5&5sec

Medium

Accessories Required

Peel:

CAD-COLOUR® Super Mask Craft Paper or Reusable Cover Sheet EZ Weeder®

Pressure: Medium (#4-6 on Hotronix®)

55 4

Warm

Microns

Care Instructions

For best results turn the garment inside out Machine wash up to 40°c using mild detergent Tumble dry at low temperatures

Time 1st: 5 seconds then peel backing and re-fuse

Time 2nd: 5 seconds with cover sheet in place

Do not use bleach Do not iron directly on transfer Do not dry clean.




Base Colour of Media

Silver

MEDIA CAD-COLOUR®	SIZE	CODE	PRICE
FoilTEK™	500mm wide x 22.8m	162113	£189.75
Magic Mask	500mm wide x 50m	110216	£55.00

Sublistop

Stops dye migration! 500mm wide x 25m rolls.



STOPS DYE MIGRATION

Matt, white film offers perfect opacity and colour reproduction while providing a solid barrier when heat is applied to sublimated polyester textiles. No "bleed-through." Your design and garment remain perfectly intact. Available in 50cm x 25m rolls.



Recommended Fabrics

100% polyester 100% cotton Cotton polyester blends



Application Instructions Temp: 150°c

Peel:

10 seconds then peel mask Pressure: **Medium** (#4-6 on Hotronix®)



Accessories Required

CAD-COLOUR® Super Mask Craft Paper or Reusable Cover Sheet EZ Weeder®

Cold



140 4

Microns

Care Instructions

For best results turn the garment inside out Machine wash up to 40°c Tumble dry at low temperatures Do not use bleach Do not iron directly on transfer Do not dry clean.





Base Colour of Media White

MEDIA CAD-COLOUR®	SIZE	CODE	PRICE	
CAD-COLOUR® Sublistop	500mm wide x 25m	110843	£150.00	
Magic Mask	500mm wide x 50m	110216	£55.00	

Classic

Ideal for everyday branding! 500mm, 750mm & 1000mm Rolls



OUR BEST SELLING PRINTABLE FILM

Colour Print® CLASSIC™ is a white base material and comes on a polyester backing. When printed and heat applied the final image carries a semi gloss finish and retains vibrant colours.







Medium



Cold



Recommended Fabrics

100% cotton 100% polyester Poly/cotton blends

Application Instructions

Temp: 150°C 10-15 seconds Time:

Pressure: **Light-Medium** (#2-4 on Hotronix®)

Allow to dry for 8-12 hours before masking and application.

Accessories Required

CAD-COLOUR® Magic Mask Plus Craft Paper or Reusable Cover Sheet EZ Weeder®

Care Instructions

For best results turn the garment inside out Machine wash up to 40°c Tumble dry at low temperatures Do not use bleach Do not iron directly on trans

Do not dry clean.

Base Colour of Media

White

MEDIA	SIZE	CODE	PRICE
COLOUR PRINT® Classic	500mm wide x 25m	568020	£125.00
COLOUR PRINT® Classic	750mm wide x 25m	568021	£187.50
COLOUR PRINT® Classic	1000mm wide x 25m	568022	£250.00
COLOUR PRINT® Mask	500mm wide x 25m	568023	£62.50
COLOUR PRINT® Mask	750mm wide x 25m	568024	£93.75
COLOUR PRINT® Mask	1000mm wide x 25m	568025	£125.00

TargetTransfers.com | 01376 326351

TargetTransfers.com | 01376 326351

21

PRINT & CUT MEDIA

Give any colour an exciting metallic effect! This thin, silver film material has a soft hand and adds pizzazz to any design. Show your colours with brilliant shine and make an impact anywhere and everywhere. Available in 50cm x 25m rolls.



12 sec

INKJET 8

CLC PAPERS

Recommended Fabrics

100% polyester 100% cotton Cotton polyester blends Lycra®

Spandex



Time: 12 seconds Pressure: **Medium** (#2-4 on Hotronix®)

Warm







Warm

Medium

Craft Paper or Reusable Cover Sheet EZ Weeder®

Care Instructions

65 Microns

For best results turn the garment inside out Machine wash up to 40°c using mild detergent Tumble dry at low temperatures

Do not use bleach

Do not iron directly on transfer Do not dry clean



Base Colour of Media

Silver

MEDIA CAD-COLOUR®	SIZE	CODE	PRICE
CAD-COLOUR® Silver	500mm wide x 25m	013771	£172.00
Super Mask/Magic Mask Plus*	500mm wide x 50m	110216	£55.00

Evolution CLCTM

A4 CLC paper for dark fabrics!



COPIER TRANSFER PAPER FOR DARKS

Evolution CLC Laser Printer Textile Media Paper is our best selling laser printer media solution and is compatible with most laser printers. Print on your laser printer and optically cut on your plotter cutter for the ultimate profile-cut designs. Ask for details on our great range of cutters today!

NOTE: This product is only recommended for promotional use, and not as a long-



Recommended Fabrics 100% cotton

40 - 80 sec

Medium

Cold

Darks

White

Care Instructions

Application Instructions

190-200°C

100% polyester

Temp:

Time:

Poly/cotton blends

40 - 80 seconds Pressure: Medium (#4-5 on Hotronix®) Peel: Cold

Accessories required Craft Paper or Reusable Cover Sheet

For best results turn the garment inside out Machine wash up to 40°c Tumble dry at low temperatures Do not use bleach Do not iron directly on transfer Do not dry clean

Lights &

Base Colour of Media



CAD-COLOUR® Evolution™	SIZE - QUANTITY	CODE	PRICE p/pc
Evolution CLC Paper	A4. 10 sheets	569058	£1.53
Evolution CLC Paper	A4. 100 sheets	569058	£1.31
Evolution CLC Paper	A4. 500 sheets	569058	£1.22
Evolution CLC Paper	A4. 1000 sheets	569058	£0.99

COLOUR PRINT® CLC Paper

Exact Print

A4 & A3 CLC paper for light fabrics!



SELF WEEDING TRANSFER PAPER

The solution for instant full colour transfers onto white and light coloured fabrics. Unlike other transfer papers, CAD-COLOUR® ExactPrint™ doesn't leave a shadow or background coating around the design. There's no trimming necessary. Your customers will love its vibrant results!

NOTE: This product is only recommended for promotional use, and not as a long-



Recommended Fabrics 100% cotton

100% polyester Poly/cotton blends



Application Instructions Temp: 165°C

Time 1st: 30 seconds Time 2nd:30 seconds



Pressure: Firm (#7-9 on Hotronix®) Peel: Warm after 6 seconds Cover with release paper



Accessories Required

Craft Paper or Reusable Cover Sheet



Warm

Care Instructions For best results turn the garment inside out Machine wash up to 40°c Tumble dry at low temperatures



Do not use bleach Do not iron directly on transfer

Do not dry clean.

Base Colour of Media

CAD-COLOUR® Exact Print™	SIZE - QUANTITY	CODE	PRICE p/pc
ExactPrint CLC Paper	A4. 10 sheets	569050	£0.75
ExactPrint CLC Paper	A4. 100 sheets	569050	£0.55
ExactPrint CLC Paper	A4. 500 sheets	569050	£0.50
ExactPrint CLC Paper	A4. 1000 sheets	569050	£0.45
ExactPrint CLC Paper	A3. 10 sheets	569051	£1.40
ExactPrint CLC Paper	A3. 100 sheets	569051	£1.00
ExactPrint CLC Paper	A3. 500 sheets	569051	£0.85
ExactPrint CLC Paper	A3. 1000 sheet	569051	£0.75

COLOUR PRINT® CLC Paper HotTrans™

A4 & A3 CLC paper for light fabrics!



MACHINES WITHOUT OIL FINISH

HotTrans CLC Laser Printer Textile Media Paper is designed for modern, faster machines without an oil finish - A HOT favourite!

NOTE: This product is only recommended for promotional use, and not as a long-



Recommended Fabrics 100% cotton

100% polyester Poly/cotton blends



Hot





Medium

- Firm



Hot

Lights

Care Instructions

Do not iron directly on transfer

For best results turn the garment inside out Machine wash up to 40°c

Craft Paper or Reusable Cover Sheet

Tumble dry at low temperatures Do not use bleach

Do not dry clean.



FREE


DELIVERY

ON ORDERS

OVER £100

CLC PAPERS

Base Colour of Media



TargetTransfers.com | 01376 326351

QUICK & EASY PRINT FOR DARKS

Create excellent full colour transfers with a soft hand for application on light and dark fabrics. Simply print your design, cut either by hand or on your cutter for instant results for promotions.

NOTE: This product is only recommended for promotional use, and not as a longerm, commercial solution

On Nylon:

180°c

145-170°c

Peel Mask Cold

Cure:

Temp:

Recommended Fabrics

00% polyester, 100% cotton, cotton polyester blends, Nylon* (*Always test)

Basic Application Instructions

On Cotton: Cure: 180°c Temp: 180°c Time: 10 to 20 seconds Pressure: Medium

1st 5 secs 2nd 10 secs with Warm **Gripflex sheet** Pressure: Firm

Accessories Required

CAD-COLOUR® Magic Mask Plus Craft Paper or Reusable Cover Sheet


Gripflex Sheet

Care Instructions

Wait 24 hours after application before washing your transfer. For best results turn the garment inside out. Machine wash up to 40°c using mild detergent. Tumble dry at low temperatures Do not use bleach. Do not dry clean. Do not iron directly on transfer.



White



SoftjetTM

A4 & A3 Inkjet Transparent Transfer Paper.



NO NEED FOR MASK - PRINT & FUSE

No masking needed! Just mirror your full colour image and print with your inkjet printer. Ideal for white and light coloured fabrics.

NOTE: This product is only recommended for promotional use, and not as a long-

Recommended Fabrics

100% polyester 100% cotton

Cotton polyester blends Lycra®, Spandex



175-180°c

Application Instruction

Warm

175-180°c

16 seconds then peel mask & re-fuse

Pressure: Medium (#4-6 on Hotronix®)

Accessories Required

Craft Paper or Reusable Cover Sheet EZ Weeder®



Medium

Care Instructions

For best results turn the garment inside out Tumble dry at low temperatures Machine wash up to 40°c

Do not line dry

Tumble dry at low temperatures Do not use bleach

Do not iron directly on transfer Do not dry clean.

Base Colour of Media

CAD-COLOUR® Softjet™	SIZE - QUANTITY	CODE	PRICE p/pc
Softjet Inkjet Paper	A4. 10 sheets	569056	£0.85
Softjet Inkjet Paper	A4. 100 sheets	569056	£0.65
Softjet Inkjet Paper	A4. 500 sheets	569056	£0.55
Softjet Inkjet Paper	A4. 1000 sheets	569056	£0.48
Softjet Inkjet Paper	A3. 10 sheets	569057	£1.70
Softjet Inkjet Paper	A3. 100 sheets	569057	£1.30
Softjet Inkjet Paper	A3. 500 sheets	569057	£1.10
Softjet Inkjet Paper	A3. 1000 sheets	569057	£0.95

Graphtec CE6000 - 40 - 60 - 60ES & 120E

Included:

- New ARMS 5.0 for faster productivity of Print & Cut
- New application software: Graphtec Studio, Cutting Master 3
- 2 Operation modes available (standard/advance)
- Higher cutting force up to 500gf
- Rugged design for long length tracking

Included software: Windows Driver, Graphtec Studio, Cutting N Compatible with Windows XP and above, N



Graphtec CE Lite-50

Graphtec CE Lite-50 has been designed to bridge the void between the craft cutter market and high output commercial cutting plotters.



Compatible Software: Cutting Master 4 (Win/Mac) Graphtec Pro Studio Graphtec Studio For MAC				
Model	Force in gf	Maximum Loading Width	Stand/Desktop	Price
CE6000-40	330	375mm x 50m	Desktop	Best Price Online
CE6000-60E	500	603mm x 50m	Desktop	Best Price Online
CE6000-60ES	500	603mm x 50m	Stand	Best Price Online
CE6000-120E	500	1213mm x 50m	Stand	Best Price Online
CE LITE	210	508mm x 25m	Desktop	Best Price Online

SummaCut R D60, D120 & D140

The SummaCut uses the world's most reliable sensor technology to ensure a perfect cut each time. Through the use of complex algorithms to compensate for print deformations the SummaCut is ideal for any sign or print shop.



Model	Force	Maximum Loading Width	Optical POSitioning System	Price
SummaCut R D60 Cutter	400g	660mm		Best Price Online
SummaCut R D120 Cutter	400g	1200mm	Yes	Best Price Online
SummaCut R D140 Cutter	400g	1400mm	Yes	Best Price Online

TargetTransfers.com | 01376 326351

24

Laminating & Finishing Equipment

Easymount 880 Cold Laminator

Easymount roll film laminator designed to perform and built to last. The advanced features allow you to laminate, mount and encapsulate.

Designed for simple, high quality results in a matter of minutes with the minimum of fuss and training.

Anyone can quickly operate an Easymount®.



Model	Max Width	Mounting Thickness	Dimensions	Machine Weight	Price
Easymount 880 Cold Laminator	720/880mm	15mm	(D) 650mm x (H) 1250mm	75kg	Best Price Online

Trimfast Trimmers

Easy to use and made to an extremely high standard, the Trimfast range is built to last with a model to suit every application from occasional use to every day heavy duty work.



Model	Length	Max Paper Size	Cutting Capacity	Table Size	Price
RO3020	670mm	A2	1.2mm / 12 sheets	315mm x 856mm	Best Price Online
RO3021 (includes stand)	960mm	A1	1.0mm / 10 sheets	315mm x 1146mm	Best Price Online

Plotter Cutters





Model	Size	Price
Silhouette Cameo 3 (12")	30cm Cutter	Best Price Online



Model	Size	Price
Silhouette Portrait 2	20cm Cutter	Best Price Online

Weeding Tools

An essential tool for use with any CAD-CUT® and Print and Cut material. Proven to be faster and more accurate than craft knives. Weed detailed designs quickly and accurately with Stahls' weeder and tweezers. The weeder is now available with an LED light.



Item	Size	Code	Price
EZ Weeder	Each	013695	£10.00
EZ Weeder with LED	Each	163399	£20.00
Stahls' Tweezers	Each	163400	£4.50

Squeegee

SQUEEGEE: A must have for applying print and cut mask smoothly and evenly without bubbles.



Item	Size	Code	Price
Squeegee	10 x 8cm	013696	£2.00

Quick Slip Protector

This is a fitted non-stick coated cover sheet that fits over the lower platen. Not only does it help to protect the lower platen but it also makes it easier to slide garments on and off. Available in 6 sizes.



Item	Size	Code	Price
Quick Slip Lower Platen Protector	15 x 25cm	560010	£35.00
Quick Slip Lower Platen Protector	20 x 25cm	560015	£37.00
Quick Slip Lower Platen Protector	28 x 38cm	013677	£38.00
Quick Slip Lower Platen Protector	38 x 38cm	013674	£40.00
Quick Slip Lower Platen Protector	40 x 40cm	013675	£42.00
Quick Slip Lower Platen Protector	40 x 50cm	013676	£47.00
Non Slip Protector Upper Cover	40 x 50cm	125288	£53.00

Release Paper and Cover Sheets

Use Gripflex Cover Sheets to achieve a textured matt finish to vinyls after pressing. Non-stick coated cover sheets produce a high gloss finish to vinyls after pressing. Use Grip Flex Pad with Nylon materials to bed the vinyl into the weave of the fabric, also helps diminish dye migration. Use Release Paper to protect your heat press platen and garment when pressing.

Item	Size	Code	Price
Release Paper	A4 x 50 sheets	560021	£5.99
Release Paper	A3 x 50 sheets	560022	£11.99
Release Paper	38 x 38cm 12 sheets	560020	£5.95
Non-stick Cover Sheet	49 x 46cm each	013683	£14.00
Gripflex Rubber Pad	46 x 56cm each	013686	£25.00

Plotter Blades

Smart and standard blades for Mimaki, Summa, Roland, GCC and Graphtec plotter



ACCESSORIES

Smart Blades/Knives	Type/Crown Colour	Offset	Code	Price
Re-Sharpening		All smart styles		£12.25
Mimaki	Vinyl MSK500V	0.50mm	567850	£24.50
Mimaki	Flock MSK500F	0.50mm	567845	£24.50
Summa	Vinyl HSK450V	0.45mm	567825	£24.50
Summa	Flock HSK450F	0.45mm	567820	£24.50
Roland, GCC	Vinyl RSK250V	0.25mm	567870	£24.50
Roland, GCC	Flock MSK500F	0.50mm	567845	£24.50
Graphtec	Vinyl GSK09V	0.45mm	567810	£24.50
Graphtec	Flock GSK09F	0.45mm	567805	£24.50
Roland, GCC	MSK750R	0.75mm	567855	£24.50
Summa	HSK750R	0.75mm	567830	£24.50
GCC	GSK15R	0.75mm	567815	£24.50

Standard Blade	Туре	Angle	Code	Price
Mimaki Drag Series	Vinyl MD300V	45°	567835	£14.00
Mimaki Drag Series	Flock MDV750F	60°	567840	£14.00
Summa Drag Series	Vinyl SD450V	45°	567875	£14.00
Summa Drag Series	Flock SDV750F	60°	567880	£14.00
Roland, GCC	RBVINYL	45°	121831	£18.00
Roland, GCC	RBFLOCK	60°	567865	£19.00
Silhouette/Craftrobo	SIL-BLADESET	45°	567056	£24.99
Silhouette Cameo	SIL-BLADE-3	45°	567055	£11.66
Graphtec	Vinyl GL9V	45°	567800	£14.00

Heat Tape - Thermotape

Safety first, if it's too hot to handle use heat resistant tape. Use to keep any design or various design elements created either with media paper or vinyl in position on a garment while heat applying. Ideal for the application of small transfers and for use with cap presses.



Item	Size	Code	Price
Heat Thermotape	9mm wide x 66m long	013688	£6.00

TargetTransfers.com | 01376 326351

STAHLS' HOTRONIX®

The world's most advanced heat press just got smarter



HOW DID THE WORLD'S BEST-SELLING HEAT PRESS GET EVEN BETTER?

By Adding Wireless Technology So You Can Manage Your Business From Anywhere.



Track heat press usage

Make sure you're getting the most out of your heat press. Track how much time your heat press is working vs. sitting idle.



Discover the productivity of each heat press

Access real-time reporting and adjust your production capacity as needed.



Track the performance of each employee

Gain insight into when and how your employees are working, if there are any application issues, and manage permissions for accurate application without added supervision.



Follow total impressions

The FUSION IQ™ measures every preheat and every heat application so you stay up-to-date on the number of times your heat presses were engaged.



Utilise pre-set applications for popular items

Eliminate mistakes by using factory installed pre-sets, or create your own to accurately apply the types of transfers and films your customers are ordering.



Set up exceptions


See how many times an operator went outside a pre-set application. Avoid production missteps to maintain the quality and durability of your products.

Every Hotronix® FUSION® will come equipped with the new FUSION IQTM control board that features advanced wireless technology, allowing you to interact with your heat press anywhere at any time with the web-based portal.

#WEAREHOTRONIX

PRICE GUIDE & QUICK REFERENCE

You have the best material, now it's time for the perfect press.





Stahls' Clam Basic™

Digital Time & Temperature	28 x 38cm	£350
	38 x 38cm	£450
	40 x 50cm	£550



Stahls' Clam Basic Cap™

Digital Time & Temperature

Cap Press 10 x 20cm £350

PLEASE READ

Terms & Conditions

- 1. ALWAYS TEST BEFORE GOING INTO PRODUCTION ON COATED TEXTILES AND NYLONS.
- 2. Always store your vinyl in it's original packaging in a dry warm place, do not subject to extreme cold or moisture at any time.
- 3. The Company's liability for damages under this contract shall in no case exceed the purchase price of the goods claimed to be defective. If goods supplied by the Company fail to conform to the express terms of the order, the Company shall have the option of bringing the goods into conformity with the order requirement or taking them back and refunding the price. All sales are final. No goods shall be returned to the Company without the Company's written permission. Goods returned without the proper authority will be returned unopened (uninspected) to the customer and the customer held liable for costs involved in reshipment. Claims must be made within FOURTEEN working days of the date of despatch of the goods by the Company (UK mainland) in writing.
- 4. No claim for damages or short delivery can be entertained unless notified to the Company or the carrier within 24 hours of receipt, and confirmed in writing within five days. Claims for non-delivery must be notified to the Company in writing within 21 days of invoice date. In the case of goods consigned overseas, the buyer should notify the Company of any complaint in writing within 28 days of delivery and/or invoice date.
- 5. The Company cannot be held liable for, and the buyer shall hold the Company harmless against, any expense or loss resulting from the infringement of patents, trade marks, registered designs, or copyright, arising from compliance with the buyer's designs, specifications or instructions. The buyer shall be responsible for, and shall at his/her expense, indemnify and defend the Company against all claims founded upon the legal effects and use of any words, designs or devices, which the buyer may order or be imprinted or placed on the goods notwithstanding that the Company may have been consulted thereon or performed artwork or other special services in connection therewith. The Company shall not be responsible to the buyer for any use made of its products so as to infringe any patent or registered design or copyright.
- 6. Free Delivery is available for the UK Mainland only on orders of Heat Transfer Vinyl, Print & Cut Media and Smaller Heat Presses only. Please contact us for delivery rates of our other product ranges. To qualify for same day despatch the products must be in stock with us and your account must be trading within the agreed credit terms. Although we are always competitive with our lead times on custom print, we cannot include it in this scheme. Garments, Application and Die Cut Letters & Numbers are also not eligible for this time frame.

Full Terms and Conditions available upon request.



Buy Direct From The ManufacturerHEAT TRANSFER VINYL GARMENT FILM

Target Transfers Ltd. Anglia Way, Braintree, Essex CM7 3RG UK

HTV.Apr19